

Product: Recycled Waterbased Acrylic Paint

Page 1 of 11

Date of Issue: August 2021

SAFETY DATA SHEET

SECTION 1 - IDENTIFICATION OF MATERIAL AND SUPPLIER

SUPPLIER: PLANET PAINTS PTY LTD.

ABN: 64 109 223 298

ADDRESS: 7 Allen Court, Torrington, QLD 4350, Australia.

TELEPHONE: (07) 4633 3544.

AH EMERGENCY TELEPHONE: 13 1126 (24 Hours) – Australian National Poisons Centre.

FAX: (07) 4633 3466.

WEB PAGE: www.planetpaints.com.au.

Product Name: Recycled Waterbased Acrylic Paint.

Proper Shipping Name: Not applicable.

Product Use: Paint for coating with brush, roller or spray.

Manufacturer's Product Code:Not applicable.Creation Date:5 August 2021.Revision Date:Before 4 August 2026.

SECTION 2 - HAZARDS IDENTIFICATION

This product is **not classified** as a HAZARDOUS CHEMICAL in accordance with the WHS, and is **not classified** as HAZARDOUS in accordance with the GHS and is **not classified** as DANGEROUS GOODS according to the Australian Dangerous Goods (ADG) Code.

Hazard Classes & Categories:Hazard ClassHazard CategoryPhysical:Not applicable.Not applicable.Health:Not applicable.Not applicable.Environmental:Not applicable.Not applicable.

Signal Word: Not applicable. **Hazard Statements:** Not applicable.

Precautionary Statements:

Prevention:Not applicable.Response:Not applicable.Storage:Not applicable.DisposalNot applicable.

General: If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Pictogram:Not applicable.Pictogram Description:Not applicable.Other Hazards which do not resultNot applicable.

in Classification:

SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS		
Ingredients:	CAS Number:	Proportion:
Synthetic Organic Polymer (Not Hazardous)	Proprietary	10 - < 30% w/w
Pigments (Not Hazardous)	Proprietary	10 - < 30% w/w
Water	7732-18-5	30 - < 60% w/w
Total		100 % w/w



Product: Recycled Waterbased Acrylic Paint

Page 2 of 11

Date of Issue: August 2021

SAFETY DATA SHEET

SECTION 4 – FIRST AID MEASURES

General information: In case of serious or persistent conditions, call a doctor or emergency

medical care. Show this safety data sheet to the doctor in attendance.

Scheduled Poisons: Poisons Information Centre in each Australian State capital city can provide

additional assistance for scheduled poisons. (Phone Australia 13 1126) or a

doctor (at once).

First Aid Facilities Required: Eye wash fountains and a general washing facility should be easily

accessible in the immediate work area.

Inhalation: Remove victim from exposure – avoid becoming a casualty. Remove

contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully

recovered. Seek medical advice if effects persist.

Skin Contact: For gross contamination immediately drench with water and remove

clothing. Continue to flush skin and hair with plenty of water and soap. Immediately remove contaminated clothing and wash before reuse. If

irritation develops seek medical attention.

Eye Contact: If in eyes, hold eyelids apart and flush the eye continuously with running

water. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. If irritation develops seek

medical attention.

Immediately rinse mouth with water. If swallowed DO NOT induce

vomiting. Give a glass of water to drink. Never give anything by mouth to an unconscious patient. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration into the lungs. Seek medical

attention.

Protection of First-aiders: No special precautions are envisaged to be required. Barrier cream applied

before work may make it easier to clean the skin after exposure, but does not prevent absorption through the skin. Always wash hands before

smoking, eating, drinking or using the toilet.

Advice to Doctor: No specific antidote. Treat symptomatically. Poisons Information Centre in

each Australian State capital city can provide additional assistance for

scheduled poisons.

SECTION 5 – FIRE FIGHTING MEASURES

Hazards from Combustion Products: Not combustible. In general fire, upon combustion, this product may emit

Carbon monoxide (CO), Carbon dioxide (CO₂), and other possibly toxic

gases and vapours.

Suitable Extinguishing Media: If material is involved in a fire use: Water fog (or if unavailable fine water

spray), foam, dry agent (carbon dioxide, dry chemical powder).

Unsuitable Extinguishing Media: Not applicable.

Precautions for Fire Fighting: If a significant quantity of this product is involved in a fire, call the fire

brigade. Immediately evacuate the area of unnecessary personnel.

Firefighters should wear safety boots, non-flammable overalls, gloves, hat, goggles, and self-contained breathing equipment. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low

areas.

Hazchem Code:Not applicable.AERGB:Not applicable.Flash Point:Not applicable.



Product: Recycled Waterbased Acrylic Paint

Page 3 of 11

Date of Issue: August 2021

SAFETY DATA SHEET

SECTION 5 – FIRE FIGHTING MEASURES (CONTINUED)

Flammability: Not combustible. In general fire, upon combustion, this product may emit

Carbon monoxide (CO), Carbon dioxide (CO₂), and other possibly toxic

gases and vapours.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency

Procedures:

General Information: Except in case of small spillages, the feasibility of any actions should always

be assessed and advised, if possible, by a trained, competent person in charge of managing the emergency. If required, notify relevant authorities according to all applicable regulations. Evacuate non-essential personnel. For personal protection see section 8. Stop or contain leak at the source, if

safe to do so. Ensure adequate ventilation.

Advice for non-emergency

personnel:

Do not touch or walk through spilled material. For personal protection see

section 8.

Advice for emergency responders:

In case of spill, isolate hazard area and deny entry. Wear protective clothing as described in Section 8 of this safety data sheet. Eye contact MUST be prevented by means of suitable personal protection equipment. See Section 8, Exposure Controls And Personal Protection for further information regarding personal protection. See Section 4, First Aid Measures, for further information.

Eye and face protection: The use of face shields, chemical goggles, or safety glasses with side shield protection (meeting the requirements of AS/NZS 1337) is recommended. If exposed to dust or fume, wear dust-tight

goggles (meeting the requirements of AS/NZS 1337).

Skin protection:

Hand protection: Chemical resistant gloves (e.g. Butyl Rubber gloves >1 mm thickness, complying with AS 2161) should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Gloves should be removed and replaced immediately if there is any indication of degradation or chemical breakthrough. Rinse and remove gloves immediately after use. Wash hands with soap and water. Barrier cream applied before work may make it easier to clean the skin after exposure, but does not prevent absorption through the skin.

<u>Clothing:</u> Suitable protective clothing complying with AS 4501, suitable chemical resistant footwear complying with AS/NZS 2210 is recommended. <u>Respiratory protective equipment:</u> When the product is spilled in case of inadequate ventilation use a full face air purifying respirator (with Class A filter for organic vapours boiling above 65°C) meeting the requirements of

AS/NZS 1715 and AS/NZS 1716.

Environmental Precautions: Do not allow to enter drainage system, surface or ground water. In the

event of product entering waters or drainage system, or polluting soil or plants contact the Environmental Protection Authority or your local Waste

Management Authority.



Product: Recycled Waterbased Acrylic Paint

Page 4 of 11

Date of Issue: August 2021

SAFETY DATA SHEET

SECTION 6 – ACCIDENTAL RELEASE MEASURES (CONTINUED)

Methods and Materials for Containment and Cleaning up/

Removing:

Spilt material may result in a slip hazard and to avoid accidents should immediately be absorbed into dry, inert material (e.g. sand, vermiculite etc.), which then can be put into appropriately labelled drums. Contain –

prevent run off into drains and waterways. The wasted material can be disposed of by an approved chemical waste collection agent according to local / national regulations (see section 13). Keep in suitable, closed

containers for disposal.

Reference to Other Sections: See Section 7 for information on safe handling; See Section 8 for

information on personal protection equipment; See Section 13 for

information on disposal.

Other Information: Recommended measures are based on the most likely spillage scenarios for

this material. However, local conditions (wind, air temperature,

wave/current direction and speed) may significantly influence the choice of appropriate actions. For this reason, local experts should be consulted when necessary. Local regulations may also prescribe or limit actions to be

taken.

SECTION 7 – HANDLING AND STORAGE

Precautions for Safe Handling:

Advice on Safe Handling:

Avoid spills – spilt material may result in a slip hazard. Avoid all personal contact, including skin and eye contact and inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. When handling, DO NOT eat, drink or smoke. Avoid physical damage to

containers. Always wash hands with soap and water after handling. Work clothes should be laundered separately. Launder contaminated clothing

before re-use.

Technical Measures: Not combustible. Refer to State Regulations for storage and transport

requirements

Prevention of Fire and Explosion:

Hygiene Measures:

Not applicable.

When using, do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing. Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Keep away from food, drink and animal feeding stuffs. Regular cleaning of equipment, work area and clothing is recommended. Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Use personal protective equipment as required. Avoid breathing vapours, mist or spray. IF ON SKIN: Wash skin with soap and water. Remove contaminated clothing and shoes. Gloves must be periodically inspected and changed in case of wear, perforations or contaminations. Remove and wash contaminated clothing before reuse. Wash hands before breaks and at the end of workday. Wash hands

with water as a precaution.



Product: Recycled Waterbased Acrylic Paint

Page 5 of 11

Date of Issue: August 2021

SAFETY DATA SHEET

SECTION 7 - HANDLING AND STORAGE (CONTINUED)

Conditions for Safe Storage, including any Incompatibilities:

Technical Measures/Storage

Conditions:

Store in a well-ventilated area. Store in a cool, dry place and out of direct sunlight. Store in a cool (at temperatures below 25°C), dry, well-ventilated place and out of direct sunlight. Keep containers closed when not in use -

check regularly for leaks.

Materials to Avoid: Not applicable.

Packaging Material: For container paints, use epoxy paint. For containers, or container linings

use stainless steel or plastics.

Further Information about Storage

Conditions:

This material is **NON-DANGEROUS GOODS** according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code)

and must be stored in accordance with the relevant regulations.

This material is not a Scheduled Poison and must be stored, maintained

and used in accordance with the relevant regulations.

Containers may be hazardous when empty. Since emptied containers retain product residue, follow all SDS and label warnings even after

container is emptied.

SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Control Measures: Ensure the use of individual protection measures Including Personal

Protective Equipment (PPE) and that the appropriate biological monitoring

is carried out.

Exposure Standards: National Occupational Exposure Limits, as published by Safework Australia:

Time-weighted Average (TWA): None established for product. **Short Term Exposure Limit (STEL):** None established for product.

Exposure Standards: Short Term Exposure Limit (STEL): None established for product. Biological Monitoring: Safe Work Australia have not published any Biological Limits for

ingredients of this product.

Engineering Controls: Provide adequate ventilation. If using indoors, keep windows and doors

open during use. Keep containers closed when not in use.

Individual Protection Measures
Including Personal Protective

Equipment (PPE):

General protective & hygiene measures: The usual precautionary measures are to be adhered to when handling chemicals. Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing, and wash contaminated clothing and other protective equipment

before storing or re-using. DO NOT SMOKE IN WORK AREA! Wash at the

end of each work shift and before eating, smoking and using the toilet. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke. Avoid contact with the eyes and skin. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye and face protection: The use of face shields, chemical goggles, or safety glasses with side shield protection (meeting the requirements of AS/NZS 1337) is recommended. If exposed to dust or fume, wear dust-tight

goggles (meeting the requirements of AS/NZS 1337).



Product: Recycled Waterbased Acrylic Paint

Page 6 of 11

Date of Issue: August 2021

SAFETY DATA SHEET

SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION (CONTINUED)

Skin protection:

<u>Hand protection</u>: Chemical resistant gloves (e.g. Butyl Rubber gloves >1 mm thickness, complying with AS 2161) should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Gloves should be removed and replaced immediately if there is any indication of degradation or chemical breakthrough. Rinse and remove gloves immediately after use. Wash hands with soap and water. Barrier cream applied before work may make it easier to clean the skin after exposure, but does not prevent absorption through the skin.

<u>Clothing:</u> Suitable protective clothing complying with AS 4501, suitable chemical resistant footwear complying with AS/NZS 2210 is recommended. <u>Respiratory protective equipment:</u> Generally not anticipated to be required. Suitable breathing mask required meeting the requirements of AS/NZS 1715 and AS/NZS 1716 where repeated inhalation is anticipated.

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Physical Description/ Properties:

Colour: Viscous opaque liquid (Colour dependent on pigmentation).

Odour: Mild characteristic odour.

Melting Point/ Freezing Point:
Initial Boiling Point/ Boiling Range:
Flammability (solid, gas):
Upper/Lower Flammability or
Not available.
Not available.

Explosive Limits:

Flashpoint: Not applicable.

Auto-ignition Temperature: Not available.

Decomposition Temperature: Not available.

pH: Ca 8.5.

Kinematic Viscosity:Solubility in water:
Miscible with water.

Solubility in solvents: Not miscible with organic solvents.

Partition coefficient: n- Not available.

octanol/water:

Vapour Pressure:Not available.Relative Density:Ca 1.05-1.1 @ 20°C.

Relative Vapour Density: >1 (air=1). **Particle Characteristics:** Not applicable.

SECTION 10 - STABILITY AND REACTIVITY

Reactivity: No reactivity hazards are known for the product.

Chemical Stability: Stable under normal conditions of use at normal temperatures and

pressure.

Possibility of Hazardous Reactions: No known hazardous reactions.

Conditions to Avoid: Avoid contact with foodstuffs.

Incompatible Materials: Strong oxidising agents.

Hazardous Decomposition Products: In general fire, upon combustion, this product may emit Carbon monoxide

(CO), Carbon dioxide (CO_2), and other possibly toxic gases and vapours.



Product: Recycled Waterbased Acrylic Paint

Page 7 of 11

Date of Issue: August 2021

SAFETY DATA SHEET

SECTION 11 - TOXICOLOGICAL INFORMATION

Health Effects: No data for product, following data is compiled on basis of ingredients. **Acute Toxicity Data (Oral):** Product is not classified as Acute Toxicity Data (Oral). No LD₅₀ information

available for the product.

Acute Toxicity Data (Dermal): Product is not classified as Acute Toxicity Data (Dermal). No LD₅₀

information available for the product.

Product is not classified as Acute Toxicity Data (Inhalation). No LC₅₀ **Acute Toxicity Data (Inhalation):**

information available for the product.

Chronic Toxicity Data: No information available for the product.

Skin Corrosion/Irritation: Product is not classified as Skin Corrosion/Irritation. Product is not classified as Serious Eye Damage/Irritation. Serious Eye Damage/Irritation: **Respiratory or Skin Sensitisation:** Product is not classified as a Respiratory or Skin Sensitiser.

Product is not classified as a Germ Cell Mutagen. **Germ Cell Mutagenicity:**

Carcinogenicity: Product is not classified as a Carcinogen.

Reproductive Toxicity: Product is not classified as Toxic to Reproduction.

Specific Target Organ Toxicity (STOT) – Single Exposure:

Product is not classified as Specific Target Organ Toxicity (Single Exposure).

Specific Target Organ Toxicity

Product is not classified as Specific Target Organ Toxicity (Repeated

(STOT) - Repeated Exposure: Exposure).

Aspiration Hazard: Product is not classified as Aspiration Hazard.

Information on Possible Routes of Inhalation is the primary route of exposure although absorption may occur

Exposure: through skin contact or following accidental ingestion.

Ingestion (Swallowing): Not to be ingested. No adverse effects expected however large amounts

> may cause nausea and vomiting. Product may be an eye irritant.

Skin Contact: Contact with skin may result in irritation.

Inhalation: Where this material is used in a poorly ventilated area, at elevated

temperatures or in confined spaces, vapour may cause irritation to mucous

membranes and respiratory tract, headache and nausea.

Other Health Effects: Not applicable.

SECTION 12 - ECOLOGICAL INFORMATION

Ecotoxicity: This product is not classified as Hazardous To The Aquatic Environment or

as Environmentally hazardous substance (according to the ADG Code).

Fish Toxicity: No data for product. **Invertebrates Toxicity:** No data for product. **Algae Toxicity:** No data for product. **Toxicity to Microorganisms:** No data for product. Effects on other organisms: No data for product. Persistence and Degradability: No data for product. **Biological Oxygen Demand (BOD):** No data for product. **Theoretical Oxygen Demand** No data for product.

(ThOD):

Eye Contact:

Chemical Oxygen Demand (COD): No data for product.

BOD/COD Ratio: None available for product.

Bio-accumulative potential: There is no evidence to suggest bioaccumulation will occur.

Mobility in Soil: No data for product. Accidental spillage may lead to penetration in the soil

and groundwater. However, there is no evidence that this would cause

adverse ecological effects. Product is miscible with water.



Product: Recycled Waterbased Acrylic Paint

Page 8 of 11

Date of Issue: August 2021

SAFETY DATA SHEET

SECTION 12 - ECOLOGICAL INFORMATION (CONTINUED)

DO NOT DISCHARGE INTO DRAINS, WATERWAYS, SEWER OR General:

> ENVIRONMENT. Product may be hazardous for water. Product is miscible with water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Inform local

authorities if this occurs.

SECTION 13 – DISPOSAL CONSIDERATIONS

Disposal methods:

Product: For small quantities:

> Do not pour leftover paint down the drain. Unwanted paint should be brushed out on newspaper, allowed to dry and then disposed of via domestic waste collection. Empty paint containers should be left open in a well ventilated area to dry out. When dry, recycle the container via steel can recycling programmes. Disposal of empty paint containers via domestic recycling programmes may differ between local authorities.

Check with your local council first.

For large quantities:

Refer to Waste Management Authority. Dispose of material through a licensed chemical waste collection agent according to the applicable Local state and national regulations. Normally suitable for disposal at approved land waste site. Do not allow runoff to sewer, waterway or

ground.

Individual Protection Measures: Refer to Individual Protection Measures Including Personal Protective

Equipment (PPE) in Section 8: EXPOSURE CONTROLS AND PERSONAL

PROTECTION.

Uncleaned Packaging:

Behaviour in Sewage Processing

Plants:

Recommended to be disposed of according to official regulations.

No further relevant information available.

SECTION 14 – TRANSPORT INFORMATION

Road & Rail Transport: This product is not classified as DANGEROUS GOODS, according to the

Australian Code for the Transport of Dangerous Goods by Road and Rail

(ADG Code).

UN Number: UN Proper Shipping Name or Not applicable.

Not applicable.

Technical Name:

ADG Class:

AERGB:

Not applicable. Not applicable.

Packing Group: HAZCHEM Code:

Not applicable. Not applicable.

Marine Transport:

This material is not classified as NON-DANGEROUS GOODS and not **classified** as a MARINE POLLUTANT by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

UN Number:

Not applicable.

UN Proper Shipping Name or

Technical Name:

Not applicable.

Not applicable.

IMDG Class: Packing Group:

Not applicable.



Product: Recycled Waterbased Acrylic Paint

Page 9 of 11

Date of Issue: August 2021

SAFETY DATA SHEET

SECTION 14 - TRANSPORT INFORMATION (CONTINUED)

Air Transport: This material is **not classified** as DANGEROUS GOODS, by the criteria of the

International Air Transport Association (IATA) Dangerous Goods

Regulations for transport by air.

UN Number: Not applicable.
UN Proper Shipping Name or Not applicable.

Technical Name:

IATA Class:Not applicable.Packing Group:Not applicable.Class Label:Not applicable.

SECTION 15 - REGULATORY INFORMATION

Australian Standards: AS/NZS 1337.1:2010: Personal eye protection - Eye and face protectors for

occupational applications.

AS/NZS 1715:2009: Selection, use and maintenance of respiratory

protective equipment.

AS/NZS 1716:2012: Respiratory protective devices.

AS 1940:2017: The storage and handling of flammable and combustible

liquids.

AS/NZS 2161.1:2000: Occupational protective gloves: Selection, use and

maintenance.

AS/NZS 2161.2:2005: Occupational protective gloves: General

requirements.

AS/NZS 2161.10.1:2005: Occupational protective gloves: Protective gloves against chemicals and micro-organisms —Terminology and performance

requirements.

AS/NZS 2161.10.2:2005: Occupational protective gloves: Protective gloves against chemicals and micro-organisms—Determination of resistance to

penetration.

AS/NZS 2161.10.3:2005: Occupational protective gloves: Protective gloves against chemicals and micro-organisms—Determination of resistance to

permeation by chemicals.

AS/NZS 2210.1:2010: Safety, protective and occupational footwear - Guide

to selection, care and use.

AS/NZS 2210.2:2009: Occupational protective footwear - Test methods

(ISO 20344:2004, MOD).

AS/NZS 2210.4:2009: Occupational protective footwear - Specification for

protective footwear (ISO 20346:2004, MOD).

AS/NZS 4501.1:2008: Occupational protective clothing - Guidelines on the

selection, use, care and maintenance of protective clothing. AS/NZS 4501.2:2006: Occupational protective clothing - General

requirements.

AlCIS: All ingredients present on AlCIS Inventory.

SUSMP: No Poisons Schedule allocated.



Product: Recycled Waterbased Acrylic Paint

Page 10 of 11

Date of Issue: August 2021

SAFETY DATA SHEET

SECTION 16 – OTHER INFORMATION

Acronyms and Comments:

NTP:

ACGIH: American Conference of Industrial Hygienists.

ADG Code: Australian Code for the Transport of Dangerous Goods by Road and Rail.

AERGB: Australian Emergency Response Guide Book (2018).

AICIS: Australian Industrial Chemicals Introduction Scheme which replaced

National Industrial Chemicals Notification and Assessment Scheme

(NICNAS.

APVMA: Australian Pesticides and Veterinary Medicines Authority.

AS: Standards issued by Standards Australia, GPO Box 476, Sydney NSW 2001,

Australia.

AS/NZ: Standards issued by Standards Australia, GPO Box 476, Sydney NSW 2001,

Australia and Standards New Zealand, Private Bag 2439 Wellington 6140,

New Zealand.

ATE: Acute Toxicity Estimate according to the Globally Harmonized System of

Classification and Labelling of Chemicals (GHS).

BEI: Biological Exposure Indices published by the American Conference of

Governmental Industrial Hygienists (ACGIH), 1330 Kemper Meadow Drive,

Cincinnati, OH 45240-4148, USA.

CAS Number: Chemical Abstracts Service Registry Number.

GHS: Globally Harmonized System of Classification and Labelling of Chemicals, a

globally harmonised system for classification and labelling of chemicals

proposed by the United Nations.

HAZCHEM: An emergency action code of numbers and letters which gives information

to emergency services.

IARC: International Agency for Research on Cancer.

IMDG: International Maritime Dangerous Goods Code for transport by sea.

LC/LD: The median lethal dose, LD₅₀ (abbreviation for "lethal dose, 50%"), LC₅₀

(lethal concentration, 50%) is the dose required to kill half the members of

a tested population after a specified test duration. LD₅₀ figures are frequently used as a general indicator of a substance's acute toxicity. National Toxicology Program (USA Department of Health and Human

Services).

OSHA: Occupational Safety and Health Administration (USA).

PPE: Personal Protective Equipment.

Safe Work Australia: Safe Work Australia was formerly the Australian Safety and Compensation

Council, which included the National Occupational Health and Safety

Commission (NOHSC).

SDS: Safety Data Sheet.

STEL: Exposure standard - short term exposure limit, a 15-minute TWA exposure

which should not be exceeded at any time during a working day even if the eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at the STEL. According to current knowledge this concentration should neither impair the health of, nor

cause undue discomfort to, nearly all workers.

SUSMP: Standard for the Uniform Scheduling of Medicines and Poisons.

TDL₀: Total Dose Low means the smallest deadly dose, which caused a toxic or

other harmful effect after application on humans or animal.



Product: Recycled Waterbased Acrylic Paint

Page 11 of 11

Date of Issue: August 2021

SAFETY DATA SHEET

SECTION 16 – OTHER INFORMATION (CONTINUED)

TWA: Exposure standard - time-weighted average, the average airborne

concentration of a particular substance when calculated over a normal

eight hour working day, for a five-day working week.

UK HSE: United Kingdom Health and Safety Executive.

UN Number: United Nations Number.

WHS: Model work health and safety legislation introduced by the Australian

government which consists of an integrated package of a model Work Health and Safety (WHS) Act, supported by model Work Health and Safety (WHS) Regulations, model Codes of Practice and a National Compliance and Enforcement Policy. The WHS Regulations implement a new system of chemical hazard classification, labelling and safety data sheet requirements

based on the GHS.

Issue Date:5 August 2021.Supersedes Issue Date:8 August 2016.Revision Information:Revised issue.

Contact Point: Regulatory Affairs Manager.

Telephone: (07) 4633 3544.

Note: Safety Data Sheets are updated frequently. Please ensure that you have a

current copy.

Disclaimer: This SDS summarises at the date of issue our best knowledge of the health

and safety hazard information of this product, and in particular how to safely handle and use this product in the workplace. Since Planet Paints Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this SDS in the context of how the user intends to handle and use the product in the workplace.

This SDS does not represent a guarantee for the properties of the product(s) described in terms of the legal warranty regulations. If

clarification or further information is needed to ensure that an appropriate

assessment can be made, the user should contact this company.